



REGIONAL SPECIALISED METEOROLOGICAL CENTRE -TROPICAL CYCLONES, NEW DELHI SPECIAL TROPICAL WEATHER OUTLOOK

DEMS-RSMC TROPICAL CYCLONES NEW DELHI DATED 31.07.2026

SPECIAL TROPICAL WEATHER OUTLOOK FOR THE NORTH INDIAN OCEAN (THE BAY OF BENGAL AND THE ARABIAN SEA) VALID FOR THE NEXT 168 HOURS ISSUED AT 0700 UTC OF 31.07.2026 BASED ON 0300 UTC OF 31.07.2026.

Sub: Depression over western Vidarbha and adjoining south Madhya Pradesh

The Depression over east Vidarbha and adjoining westcentral Chhattisgarh moved nearly west-northwestwards with a speed of 15 kmph during past 6 hours, and lay centred at 0300 UTC of today, the 31st July 2026, over western Vidarbha and adjoining south Madhya Pradesh near latitude 21.1°N and longitude 78.2°E, 50 km east-northeast of Amravati (42937, Maharashtra), 60 km northwest of Wardha (42939, Maharashtra), 90 km south-southeast of Betul (42860, Madhya Pradesh), 210 km east-southeast of Khandwa (42855, Madhya Pradesh) and 280 km east-southeast of Khargone (42849, Madhya Pradesh).

It is very likely to move west-northwestwards across Vidarbha, south Madhya Pradesh & adjoining Madhya Maharashtra and weaken into a well marked low pressure area during next 24 hours.

The estimated central pressure is 992 hPa. The associated maximum sustained wind speed is 25 kt gusting to 35 kt.

Betul (42860, Madhya Pradesh) reported mean sea level pressure (MSLP) as 992.1 hPa, pressure change in past 24 hrs (P24) as -3.6 hPa and maximum sustained wind speed (MSW) as 50⁰/01 kt. Amravati (42937, Maharashtra) reported MSLP as 992.9 hPa, P24 as -1.8 hPa and MSW as 250⁰/03 kt. Wardha (42939, Maharashtra) reported MSLP as 995.1 hPa, P24 as -0.8 hPa and MSW as 270⁰/03 kt.

As per INSAT 3DS imagery at 0300 UTC of 31st July, associated scattered to broken low & medium clouds with embedded intense to very intense convection over southwest Madhya Pradesh, Vidarbha, Marathwada, Madhya Maharashtra, Gujarat, North Interior Karnataka, northwest Telangana (minimum Cloud Top Temperature is -70 to -90°C).

REMARKS:

The low level vorticity has remained unchanged during past 3 hours and is about $100 \times 10^{-6} \text{ s}^{-1}$ to the south of system. Vertically, it is extending upto 200 hPa level. The low level convergence remained unchanged during past 3 hours and is around $20 \times 10^{-6} \text{ s}^{-1}$ to the west of system centre. Upper level divergence is the same around $30 \times 10^{-6} \text{ s}^{-1}$ to the west of system area. Vertical wind shear of horizontal wind is moderate to high 20-25 kt over the system area. However, the guidance from NCICS model indicates westerly wind anomaly (3-5 mps) alongwith prevalence of Equatorial Rossby wave (ERW) over central & adjoining south peninsular India and easterly wind anomaly (>9 mps) to its north over northwest & adjoining Westcentral India. The system is also getting moisture feedback from south Arabian Sea. These features are supporting the system to maintain

Cloud distribution: (a) Isolated: <25%, Scattered:25-50%, Broken: 51-75%, Solid:>75%, Convection Intensity: (a) Weak: Cloud Top Temperature(CTT)>-25°C, (b) Moderate: CTT:-25°Cto-40°C, (c) Intense: CTT: -41°Cto -70°C and (d) Very Intense::Less than -70°C Probability of cyclogenesis (formation of depression) :NIL:0%, LOW:1-33%, MODERATE:34-66% and HIGH:67-100%

This is a guidance Bulletin for WMO/ESCAP Panel Member countries. Visit respective National websites for Country specific Bulletins.

its intensity of depression during next 12-24 hours.

Guidance from numerical models:

Most of the models (ECMWF, GFS) are capturing the system as a depression. However ECMWF is indicating the system to weaken by 31st July/1200 UTC and NCEP GFS by 31st/ 0600 UTC. However, both the models are indicating north-northwestwards.

Based on the observations and guidance from various numerical models:


Confidence Level in estimation of current location and intensity: **High**

Confidence Level in prediction of forecast track: **Moderate**

Confidence Level in prediction of forecast intensity: **Moderate**

Considering all the above, **Depression over western Vidarbha and adjoining south Madhya Pradesh** is very likely to move west-northwestwards across Vidarbha, south Madhya Pradesh & adjoining Madhya Maharashtra and weaken into a well marked low pressure area during next 24 hours.

Monica Sharma
RSMC, IMD, New Delhi





OBSERVED AND FORECAST TRACK OF DEPRESSION OVER WESTERN VIDARBHA AND ADJOINING SOUTH MADHYA PRADESH BASED ON 0300 UTC (0830 Hrs. IST) OF 31st JULY 2026.



DATE/TIME IN UTC

IST=UTC + 0530

L: LOW PRESSURE AREA

WML: WELL MARKED LOW PRESSURE AREA

D: DEPRESSION (17-27 KT)

DD: DEEP DEPRESSION (28-33 KT)

CS: CYCLONIC STORM (34-47 KT)

SCS: SEVERE CYCLONIC STORM (48-63KT)

VSCS: VERY SEVERE CYCLONIC STORM (64-89 KT)

ESCS: EXTREMELY SEVERE CYCLONIC STORM (90-119 KT)

SuCS: SUPER CYCLONIC STORM (≥ 120 KT)

LESS THAN 34 KT

34-47 KT

≥ 48 KT

OBSERVED TRACK

FORECAST TRACK

CONE OF UNCERTAINTY

Forecast distance (km) and direction of the centre from nearest 5 coastal stations

Forecast Date and Time	Lead Period (hrs)	Lat	Lon	Station 1	Station 2	Station 3	Station 4	Station 5
31.07.26/0300	0	21.1	78.2	Amravati (50, ENE)	WARDHA (60, NW)	BETUL (90, SSE)	KHANDWA (210, ESE)	KHARGHOAN (280, ESE)

Cloud distribution: (a) Isolated: <25%, Scattered:25-50%, Broken: 51-75%, Solid:>75%, Convection Intensity: (a) Weak: Cloud Top Temperature(CTT)>-25°C, (b) Moderate: CTT:-25°Cto-40°C, (c) Intense: CTT: -41°Cto -70°C and (d) Very Intense::Less than -70°C Probability of cyclogenesis (formation of depression) :NIL:0%, LOW:1-33%, MODERATE:34-66% and HIGH:67-100%

This is a guidance Bulletin for WMO/ESCAP Panel Member countries. Visit respective National websites for Country specific Bulletins.