



REGIONAL SPECIALISED METEOROLOGICAL CENTRE-TROPICAL CYCLONES, NEW DELHI TROPICAL WEATHER OUTLOOK

DEMS-RSMC TROPICAL CYCLONES NEW DELHI DATED 27.11.2024

SPECIAL TROPICAL WEATHER OUTLOOK FOR THE NORTH INDIAN OCEAN (THE BAY OF BENGAL AND THE ARABIAN SEA) VALID FOR THE NEXT 120 HOURS ISSUED AT 0630 UTC OF 27.11.2024 BASED ON 0300 UTC OF 27.11.2024.

Sub: Deep Depression over Southwest Bay of Bengal

The Deep Depression over Southwest Bay of Bengal moved north-northwestwards with a speed of 13 kmph during past 6 hours and lay centred at 0300 UTC of today, the 27th November 2024 over the same region near latitude 8.5°N and longitude 82.3°E, about 120 km east-southeast of Trincomalee (43418), 370 km southeast of Nagappattinam (43347), 470 km southeast of Puducherry (43331) and 550 km south-southeast of Chennai (43279).

It is very likely to continue to move north-northwestwards and intensify further into a cyclonic storm during next 12 hours. Thereafter, it will continue to move north-northwestwards towards Tamil Nadu coast skirting Sri Lanka coast during subsequent 2 days.

The system is being tracked by DWR Karaikal. A continuous watch is being maintained for the movement and intensification of system.

Estimated Central Pressure in association with the system is 1001 hPa and associated maximum sustained wind speed is 30 kts gusting to 35 kts. Sea condition is likely to be very rough over southwest Bay of Bengal & along and off Sri Lanka coast till 27th November/0900 UTC. It is likely to become High from 27th/1200 UTC till 29th November. Rough to very rough sea condition is likely along & off Tamil Nadu-Puducherry and South Andhra Pradesh coasts till 29th November. Rough to very rough sea condition is likely over adjoining westcentral Bay of Bengal from 27th/1200 UTC till 29th November.

As per latest satellite imagery, intensity of the system is characterized as 2.0. Clouds are organized in shear pattern. Intense cloud mass is sheared to the north of system area. Associated scattered to broken low and medium clouds with embedded intense to very intense convection lay over southwest Bay of Bengal and neighbourhood between latitude 7.0N to 15.0N and longitude 80.0E to 92.0E. Minimum cloud top temperature is minus 80-93°C.

Forecast track and intensity are given in the following table

Date/ Time (UTC)	Position (Lat. °N/ long. °E)	Maximum sustained surface wind speed (Kmph)	Category of cyclonic disturbance
27.11.24/0300	8.5/82.3	55-65 gusting to 75	Deep Depression
27.11.24/0600	8.8/82.2	55-65 gusting to 75	Deep Depression
27.11.24/1200	9.1/82.1	60-70 gusting to 80	Cyclonic Storm
27.11.24/1800	9.5/82.0	65-75 gusting to 85	Cyclonic Storm
28.11.24/0000	10.0/81.9	65-75 gusting to 85	Cyclonic Storm
28.11.24/1200	10.6/81.9	65-75 gusting to 85	Cyclonic Storm
29.11.24/0000	11.3/81.8	60-70 gusting to 80	Cyclonic Storm
29.11.24/1200	12.0/81.5	60-70 gusting to 80	Cyclonic Storm
30.11.24/0000	12.6/80.8	55-65 gusting to 75	Deep Depression

Remarks:

Currently, the system has moved away from the intense patch of higher SST about 30°C (6-10°N and 84-88°E) and is an area with relatively lower SST (29°C). Further the SST is relatively lesser along & off the Tamil Nadu coast. The total precipitable water imagery is also indicating warm moist air around system area. However, colder air incursion is seen in the southwest sector. The tropical cyclone heat potential is less than 40 KJ/cm² over southwest & adjoining eastcentral BoB and along & off Sri Lanka/Tamil Nadu/ Andhra Pradesh coasts. The increase in barrier layer depth over the southwest BoB may also lead to marginal weakening near coast. The land interactions with Sri Lanka coast may lead to slow intensification of system.

Madden Julian Oscillation (MJO) is in phase 4 with amplitude more than 1 and would move across phase 5 from 29th onwards. Presence of Equatorial Rossby Waves over south BoB, MJO, strong westerly wind anomaly over south BoB and easterly wind anomaly to its north over South & adjoining central BoB during 27th - 28th November indicate a favourable environment for intensification of system.

Low level positive cyclonic vorticity at 850 hpa level is around $100 \times 10^{-5} \text{ s}^{-1}$ over southwest BoB near system area and is extending upto 200 hPa level. The low level convergence has increased and is around $60 \times 10^{-5} \text{ s}^{-1}$ over system area. Upper level divergence is same and around $40 \times 10^{-5} \text{ s}^{-1}$ over system centre. Vertical wind shear is moderate (15-20 kt) over the system area and is high to the north of 10°N. The system is showing no tilting with height. The system is being steered north-northwestwards along the periphery of upper tropospheric ridge near 13°N.


Various environmental features (higher SST, warm moist air incursion into the core, high ocean thermal energy, moderate wind shear, favourable MJO & Equatorial Rossby Waves) are indicating favourable environment for marginal intensification of system till 28th November. However, all features indicate that system would show weakening trend as it moves towards Tamil Nadu coast (North of 11°N).

There is good consensus among various model wrt movement, intensity and landfall. Most of the models are indicating intensification into marginal cyclonic storm during 27th/1200 UTC to 29th/0000 UTC and gradual weakening of the system thereafter.

Hence it is inferred that the deep depression over Southwest Bay of Bengal is very likely to continue to move north-northwestwards and intensify further into a cyclonic storm during next 12 hours. Thereafter, it will continue to move north-northwestwards towards Tamil Nadu coast skirting Sri Lanka coast during subsequent 2 days.


Next bulletin will be issued at 0900 UTC of 27th November, 2024.

(Monica Sharma)
Scientist D, RSMC, New Delhi



Cloud distribution: (a) Isolated: <25%, Scattered:25-50%, Broken: 51-75%, Solid:>75%, Convection Intensity: (a) Weak: Cloud Top Temperature (CTT) >-25°C, (b) Moderate: CTT: - 25°C to -40°C, (c) Intense: CTT: - 41°C to -70°C and (d) Very Intense: : Less than -70°C
PROBABILITY OF CYCLOGENESIS (FORMATION OF DEPRESSION):NIL: 0%, LOW: 1-33%, , MODERATE: 34-66% AND HIGH: 67-100%
This is a guidance Bulletin for WMO/ESCAP Panel Member countries. Visit respective National websites for Country specific Bulletins


Doppler Weather Radar Observation (Max Z) at Karaikal



Cloud distribution: (a) Isolated: <25%, Scattered:25-50%, Broken: 51-75%, Solid:>75%, Convection Intensity: (a) Weak: Cloud Top Temperature (CTT) >-25°C, (b) Moderate: CTT: - 25°C to -40°C, (c) Intense: CTT: - 41°C to -70°C and (d) Very Intense: : Less than -70°C
PROBABILITY OF CYCLOGENESIS (FORMATION OF DEPRESSION):NIL: 0%, LOW: 1-33%, , MODERATE: 34-66% AND HIGH: 67-100%
This is a guidance Bulletin for WMO/ESCAP Panel Member countries. Visit respective National websites for Country specific Bulletins



OBSERVED AND FORECAST TRACK ALONG WITH CONE OF UNCERTAINTY OF DEEP DEPRESSION OVER SOUTHWEST BAY OF BENGAL BASED ON 0300 UTC (0830 HRS. IST) OF 27TH NOVEMBER, 2024




DATE/TIME : IN UTC
IST : UTC + 0530
KT : NAUTICAL MILE S/HOUR = 1.85 KM/HOUR
LPA : LOW PRESSURE AREA
WML : WELL MARKED LOW PRESSURE AREA
D : DEPRESSION (17-27 KT)
DD : DEEP DEPRESSION (28-33 KT)
CS : CYCLONIC STORM (34-47 KT)
SCS : SEVERE CYCLONIC STORM (48-63 KT)
VSCS : VERY SEVERE CYCLONIC STORM (64-89 KT)
ECS : EXTREMELY SEVERE CYCLONIC STORM (90-119 KT)
SuCS : SUPER CYCLONIC STORM (≥ 120 KT)

● LESS THAN 34 KT
○ 34-47 KT
○ ≥ 48 KT
— OBSERVED TRACK
— FORECAST TRACK
▲ CONE OF UNCERTAINTY

Forecast	DISTANCE (KM) AND DIRECTION FROM STATIONS				
Date and Time (UTC)	BATTICALOA	TRINCOMALEE	NAGAPPATTINAM	PUDUCHERRY	CHENNAI/MINAMBAKKAM
27.11.24/0300	110, NE	120, E	370, SE	470, SE	550, SSE
28.11.24/0000	260, N	170, NNE	240, ESE	320, SE	380, SSE
29.11.24/0000	400, N	310, N	220, ENE	230, ESE	260, SE
30.11.24/0000	550, N	450, N	230, NNE	130, ENE	80, ESE



OBSERVED AND FORECAST TRACK ALONGWITH QUADRANT WIND DISTRIBUTION OF DEEP DEPRESSION OVER SOUTHWEST BAY OF BENGAL BASED ON 0300 UTC (0830 HRS. IST) OF 27TH NOVEMBER, 2024.



DATE/TIME : IN UTC
IST : UTC + 0530
KT : NAUTICAL MILE/HOUR = 1.85 KM/HOUR
LPA : LOW PRESSURE AREA
WML : WELL MARKED LOW PRESSURE AREA
D : DEPRESSION (17-27 KT)
DD : DEEP DEPRESSION (28-33 KT)
CS : CYCLONIC STORM (34-47 KT)
SCS : SEVERE CYCLONIC STORM (48-63 KT)
VSCS : VERY SEVERE CYCLONIC STORM (64-89 KT)
ESCS : EXTREMELY SEVERE CYCLONIC STORM (90-119 KT)
SuCS : SUPER CYCLONIC STORM (≥120 KT)


● LESS THAN 34 KT
● 34-47 KT
● ≥ 48 KT
● OBSERVED TRACK
● FORECAST TRACK
● CONE OF UNCERTAINTY
AREA OF MAXIMUM SUSTAINED WIND SPEED:
■ 28-33 KT (52-61 KMPH)
■ 34-49 KT (62-91 KMPH)
■ 50-63 KT (92-117 KMPH)
■ ≥ 64 KT (≥118 KMPH)




IMPACT OVER THE SEA

MSW (knot/kmph)	Impact	Action
28-33 (52-61)	Very rough seas	Total suspension of fishing operations
34-49 (62-91)	High to very high seas	Total suspension of fishing operations
50-63 (92-117)	Very high seas	Total suspension of fishing operations
≥ 64 (≥118)	Phenomenal	Total suspension of fishing operations

24 hours Outlook for the Flash Flood Risk (FFR) till 0530 IST of 28-11-2024:

High flash flood risk likely over few watersheds & neighbourhoods of following Met Sub-divisions during next 24 hours
Tamil Nadu - Puducherry & Karaikal - Karaikal, Puduchery, Ariyalur, Cuddalore, Dindigul, Kanchipuram, Kanyakumari, Karur, Madurai, Nagapattinam, Nilgiri, Perambalur, Salem, Sivaganga, Teni, Thiruvavarur, Tirunelveli, Tiruvallur, Tuticorin, Villupuram and Virudhunagar districts.
 Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over area of concern as shown in map due to expected rainfall occurrence in next 24 hours.



Flash Flood Risk	
	High Risk (Take Action)
	Moderate Risk (Be Prepared)
	Low Risk (Be Updated)

Fishermen Warning Graphics

