



### REGIONALSPECIALISED METEOROLOGICALCENTRE-TROPICALCYCLONES,NEW DELHI TROPICAL CYCLONE ADVISORY

#### **DEMS-RSMCSPECIAL TROPICAL CYCLONES NEW DELHI DATED 14.06.2023**

FROM: RSMC -TROPICAL CYCLONES, NEW DELHI

TO: STORM WARNING CENTRE, NAYPYI TAW (MYANMAR) STORM WARNING CENTRE, BANGKOK (THAILAND) STORM WARNING CENTRE, COLOMBO (SRILANKA) STORM WARNING CENTRE, DHAKA (BANGLADESH) STORM WARNING CENTRE, KARACHI (PAKISTAN) METEOROLOGICAL OFFICE, MALE (MALDIVES) OMAN METEOROLOGICAL DEPARTMENT, MUSCAT (THROUGH RTH JEDDAH) YEMEN METEOROLOGICAL SERVICES, REPUBLIC OF YEMEN (THROUGH RTH JEDDAH) NATIONAL CENTRE FOR METEOROLOGY, UAE (THROUGH RTH JEDDAH) PRESIDENCY OF METEOROLOGY AND ENVIRONMENT, SAUDI ARABIA (THROUGH RTH JEDDAH) IRAN METEOROLOGICAL ORGANISATION, (THROUGH RTH JEDDAH) QATAR METEOROLOGICAL DEPARTMENT (THROUGH RTH JEDDAH)

TROPICAL CYCLONE ADVISORY NO. 65 FOR NORTH INDIAN OCEAN (THE BAY OF BENGAL AND ARABIAN SEA) VALID FOR NEXT 120 HOURS ISSUED AT 1600 UTC OF 14.06.2023 BASED ON 1200 UTC OF 14.06.2023

#### SUB: VERY SEVERE CYCLONIC STORM "BIPARJOY" (PRONOUNCED AS "BIPORJOY") OVER NORTHEAST ARABIAN SEA (CYCLONE WARNING FOR SAURASHTRA & KUTCH COASTS (RED MESSAGE))

THE VERY SEVERE CYCLONIC STORM "BIPARJOY" (PRONOUNCED AS "BIPORJOY") OVER NORTHEAST ARABIAN SEA MOVED EAST-NORTHEASTWARD WITH A SPEED OF 7 KMPH DURING PAST 6-HOURS AND LAY CENTERED AT 1200 UTC OF TODAY, THE 14TH JUNE, 2023 OVER THE SAME REGION NEAR LATITUDE 22.0°N AND LONGITUDE 66.7°E, ABOUT 240 KM SOUTHWEST OF JAKHAU PORT (GUJARAT), 260 KM WEST-SOUTHWEST OF DEVBHUMI DWARKA (42731), 260 KM WEST-SOUTHWEST OF NALIYA (42631), 310 KM WEST OF PORBANDAR (42830), AND 330 KM SOUTH OF KARACHI (PAKISTAN, 41780).

IT IS VERY LIKELY TO MOVE NORTHEASTWARDS AND CROSS SAURASHTRA & KUTCH AND ADJOINING PAKISTAN COASTS BETWEEN MANDVI (GUJARAT, 42729) AND KARACHI (PAKISTAN, 41780) NEAR JAKHAU PORT (GUJARAT) BY 1200 UTC OF 15TH JUNE AS A VERY SEVERE CYCLONIC STORM WITH MAXIMUM SUSTAINED WIND SPEED OF 120-130 KMPH GUSTING TO 145 KMPH.

Date/Time(UTC) Position Maximum sustained surface Category of cyclonic (Lat. <sup>⁰</sup>N/ long. <sup>⁰</sup>E) wind speed (Kmph) disturbance 14.06.23/1200 22.0/66.7 135-145 Gusting To 160 Very Severe Cyclonic Storm 14.06.23/1800 22.3/67.1 130-140 Gusting To 155 Very Severe Cyclonic Storm 15.06.23/0000 22.7/67.5 125-135 Gusting To 150 Very Severe Cyclonic Storm 15.06.23/0600 23.2/68.1 120-130 Gusting To 145 Very Severe Cyclonic Storm 15.06.23/1200 23.8/69.0 110-120 Gusting To 135 Severe Cyclonic Storm 16.06.23/0000 24.4/70.1 75-85 Gusting To 95 Cyclonic Storm 16.06.23/1200 24.9/71.3 40-50 Gusting To 60 Depression

Forecast track and intensity are given below:

AS PER INSAT 3D IMAGERY, INTENSITY OF THE SYSTEM IS T4.0/C.I.4.0. CLOUDS ARE ORGANISED IN SHEAR PATTERN. ASSOCIATED BROKEN LOW AND MEDIUM CLOUDS WITH EMBEDDED INTENSE TO VERY INTENSE CONVECTION LAY MAINLY OVER NORTH AND ADJOINING CENTRAL ARABIAN SEA BETWEEN LATITUDE 18.0°N & 22.5°N AND LONGITUDE 62.0°E & 68.0°E AND WEAK TO MODERATE CONVECTION LAY OVER SOUTH PAKISTAN, KUTCH & SAURASHTRA. MINIMUM CLOUD TOP TEMPERATURE IS MINUS 93°C. MAJOR CONVECTION AREA IS SEEN IN SOUTHWEST SECTOR. 24 HOUR ANIMATION INDICATES THAT DISTANCE BETWEEN CENTRE OF SYSTEM AND INTENSE CLOUD MASS HAS INCREASED. THIS IS INDICATING WEAKENING OF THE SYSTEM IN PAST 24 HOURS. MULTISAT WINDS INDICATE STRONGER WINDS ARE SEEN IN THE SOUTHEAST SECTOR.

ASSOCIATED MAXIMUM SUSTAINED WIND SPEED (MSW) IS 75 KNOTS GUSTING TO 85 KNOTS. THE ESTIMATED CENTRAL PRESSURE IS 968 HPA. SEA CONDITION IS LIKELY TO BE PHENOMENAL OVER NORTHEAST ARABIAN SEA AND ROUGH TO VERY ROUGH OVER ADJOINING EASTCENTRAL ARABIAN SEA.

OKHA (42730) REPORTED DEPARTURE FROM NORMAL IN MEAN SEA LEVEL PRESSURE OF - 5.9 HPA AND NALIYA (42631) OF -6.1 HPA & DWARKA (42731) REPORTED A DEPARTURE OF - 6.6 HPA.

## **REMARKS**:

SEA SURFACE TEMPERATURE IS AROUND 29-30°C OVER NORTHEAST ARABIAN SEA. OCEAN HEAT CONTENT IS 60-70KJ/CM<sup>2</sup> AND IS EXPECTED TO DECREASE GRADUALLY ALONG THE FORECAST TRACK BECOMING 30-40 KJ/CM<sup>2</sup> OFF SAURASHTRA & KUTCH COASTS. TOTAL PRECIPITABLE WATER IMAGERY INDICATES COLD AIR INCURSION INTO THE CORE OF SYSTEM. THE GRADIENT WIND ANALYSIS INDICATES THAT DURING PAST 24 HOURS, RADIUS OF GRADIENT WIND HAS INCREASED AND TEMPERATURE ANOMALY AT 300 HPA HAS DECREASED. FURTHER, AS THE SYSTEM REMAINED PRACTICALLY STATIONARY/MOVED VERY SLOW DURING PAST 12 HOURS, THE SURFACE AIR NEAR THE CORE COOLED DOWN, DUE TO UPWELLING TO THE SOUTHEAST OF SYSTEM CENTRE. ALL THESE FEATURES LED TO GRADUAL WEAKENING OF THE SYSTEM.

THE LOW LEVEL VORTICITY IS THE SAME DURING PAST THREE HOURS AND IS AROUND 300X10<sup>-6</sup>S<sup>-1</sup> TO THE SOUTH OF THE SYSTEM CENTRE. LOW LEVEL CONVERGENCE HAS DECREASED AND IS ABOUT 20X10<sup>-5</sup>S<sup>-1</sup> TO THE SOUTHWEST OF THE SYSTEM CENTRE AND UPPER LEVEL DIVERGENCE HAS SLIGHTLY INCREASED IN PAST 6 HOURS AND IS ABOUT 30X10<sup>-5</sup> S<sup>-1</sup> TO THE SOUTH OF SYSTEM CENTRE. VERTICAL WIND SHEAR HAS INCREASED AND IS HIGH (25-30 KNOTS) OVER THE SYSTEM AREA. THE RIDGE RUNS ALONG 21.5°N. THE DEEP LAYER MEAN WINDS, INDICATE A DEEP TROUGH ALONG 65.0E TO THE WEST OF THIS TROUGH, PUSH SYSTEM CENTRE. WOULD TEND TO THE CYCLONE NORTHEASTEWARDS AND WOULD ALSO LEAD TO INCREASE IN TRANSLATIONAL SPEED OF THE SYSTEM. THE SYSTEM HAS NOW STARTED TRACKING NORTHEASTWARDS UNDER THE INFLUENCE OF SOUTHWESTERLY WINDS PREVAILING TO THE NORTH OF THE RIDGE AND THE WESTERLY TROUGH.

AS THE SYSTEM WILL APPROACH COAST, IT IS LIKELY TO EXPERIENCE LOWER OCEAN THERMAL ENERGY (40-50 KJ/CM<sup>2</sup>) AND DECREASE IN MIDDLE LEVEL HUMIDITY DUE TO DRY COLD AIR INTRUSION.


CONSIDERING ALL THE ABOVE, TC BIPARJOY IS VERY LIKELY TO MOVE NEARLY NORTHEASTWARDS AND CROSS SAURASHTRA & KUTCH AND ADJOINING PAKISTAN COASTS BETWEEN MANDVI (GUJARAT, 42929) AND KARACHI (PAKISTAN, 41780) NEAR JAKHAU PORT (GUJARAT) BY 1200 UTC OF 15<sup>TH</sup> JUNE AS A VERY SEVERE CYCLONIC STORM WITH MAXIMUM SUSTAINED WIND SPEED OF 120-130 KMPH GUSTING TO 145 KMPH.

M. SHARMA SCIENTIST D RSMC NEW DELHI


Cloud distribution: (a) Isolated: <25%, Scattered:25-50%, Broken: 51-75%, Solid:>75%, Convection Intensity: (a) Weak: Cloud Top Temperature (CTT) >-25°C, (b) Moderate: CTT: - 25°C to -40°C, (c) Intense: CTT: - 41°C to -70°C and (d) Very Intense: : Less than -70°C PROBABILITY OF CYCLOGENESIS (FORMATION OF DEPRESSION):NIL: 0%, LOW: 1-33%, , MODERATE: 34-66% AND HIGH: 67-100% This is a guidance Bulletin for WMO/ESCAP Panel Member countries. Visit respective National websites for Country specific Bulletins


SAT : INSAT-3D IMG IMG\_TIR1\_TEMP 10.8 um

14-06-2023/(1430 to 1456) GM



# Radar Imagery of Doppler Weather Radar at Bhuj





#### **OBSERVED AND FORECAST TRACK ALONGWITH QUADRANT WIND** DISTRIBUTION OF VERY SEVERE CYCLONIC STORM "BIPARJOY" OVER NORTHEAST ARABIAN SEA BASED ON 1200 UTC (1730 IST) OF 14<sup>TH</sup> JUNE 2023. 16/12,20KT,D 16/00,40KT,CS 15/12,60KT,SCS 15/06,65KT,VSCS 15/00,70KT,VSCS 14/18,70KT,VSCS 14/12,75KT,VSCS 14/06,80KT,VSCS 13/12,85KT,VSCS 13/00.85KT.VSCS 2/18,85KT,VSCS 12/12.90KT.ESCS 11/00.90KT,ESCS 10/12,85KT,VSCS 10/00,75KT,VSCS 09/12.65KT,VSCS 08/00,75KT,VSCS 07/12,65KT,VSCS 07/00,55KT,SCS 06/12,35KT,CS 06/06.30KT.DD 06/00,25KT,D LESS THAN 34 KT DATE/TIME IN UTC IST=UTC + 0530 34.47 KT L: LOW PRESSURE AREA ≥ 48 KT WML: WELL MARKED LOW PRESSURE AREA **OBSERVED TRACK** D: DEPRESSION (17-27 KT) FORECAST TRACK DD: DEEP DEPRESSION (28-33 KT) CONE OF UNCERTAINTY CS: CYCLONIC STORM (34-47 KT) AREA OF MAXIMUM SUSTAINED WIND SPEED: SCS: SEVERE CYCLONIC STORM (48-63KT) 28-33 KT (52-61 KMPH) VSCS: VERY SEVERE CYCLONIC STORM (64-89 KT) 34-49 KT (62-91 KMPH) ESCS: EXTREMELY SEVERE CYCLONIC STORM (90-119 KT) 50-63 KT (92-117 KMPH) SuCS: SUPER CYCLONIC STORM (2 120 KT) ≥ 64 KT (≥118 KMPH) IMPACT OVER THE SEA MSW (knot/kmph) Action Impact 28-33 (52-61) Very rough seas Total suspension of fishing operations 34-49 (62-91) High to very high seas Total suspension of fishing operations

Cloud distribution: (a) Isolated: <25%, Scattered:25-50%, Broken: 51-75%, Solid:>75%, Convection Intensity: (a) Weak: Cloud Top Temperature (CTT) >-25°C, (b) Moderate: CTT: - 25°C to -40°C, (c) Intense: CTT: - 41°C to -70°C and (d) Very Intense: : Less than -70°C PROBABILITY OF CYCLOGENESIS (FORMATION OF DEPRESSION):NIL: 0%, LOW: 1-33%, , MODERATE: 34-66% AND HIGH: 67-100% This is a guidance Bulletin for WMO/ESCAP Panel Member countries. Visit respective National websites for Country specific Bulletins

Total suspension of fishing operations


Total suspension of fishing operations

Very high seas

Phenomenal

50-63 (92-117)

≥ 64 (≥118)



Astronomical Tide on 15 <sup>th</sup> June 2023		
Station	Time (IST)	Height (m)
Porbandar	09:37	2.61
Navlakhi	13:38	7.54
ОКНА	11:36	3.74
Deendayal Port (Kandla)	13:02	6.79

Cloud distribution. (a) isolated. <25%, Scattered.25-50%, Broken. 51-75%, Sond.275%, Convection Intensity. (a) weak. Cloud Top Temperature (CTT) >-25°C, (b) Moderate: CTT: - 25°C to -40°C, (c) Intense: CTT: - 41°C to -70°C and (d) Very Intense: : Less than -70°C PROBABILITY OF CYCLOGENESIS (FORMATION OF DEPRESSION):NIL: 0%, LOW: 1-33%, , MODERATE: 34-66% AND HIGH: 67-100% This is a guidance Bulletin for WMO/ESCAP Panel Member countries. Visit respective National websites for Country specific Bulletins

