



REGIONAL SPECIALISED METEOROLOGICAL CENTRE-TROPICAL CYCLONES, NEW DELHI
TROPICAL CYCLONE ADVISORY NO. 1

DEMS-RSMC TROPICAL CYCLONES NEW DELHI DATED 17.11.2023

FROM: RSMC –TROPICAL CYCLONES, NEW DELHI

TO: STORM WARNING CENTRE, DHAKA (BANGLADESH)
STORM WARNING CENTRE, NAYPYI TAW (MYANMAR)
STORM WARNING CENTRE, BANGKOK (THAILAND)
STORM WARNING CENTRE, COLOMBO (SRILANKA)
STORM WARNING CENTRE, KARACHI (PAKISTAN)
METEOROLOGICAL OFFICE, MALE (MALDIVES)
OMAN METEOROLOGICAL DEPARTMENT, MUSCAT (THROUGH RTH JEDDAH)
YEMEN METEOROLOGICAL SERVICES, REPUBLIC OF YEMEN (THROUGH RTH JEDDAH)
NATIONAL CENTRE FOR METEOROLOGY, UAE (THROUGH RTH JEDDAH)
PRESIDENCY OF METEOROLOGY AND ENVIRONMENT, SAUDI ARABIA (THROUGH RTH JEDDAH)
IRAN METEOROLOGICAL ORGANISATION, (THROUGH RTH JEDDAH)
QATAR METEOROLOGICAL DEPARTMENT (THROUGH RTH JEDDAH)

TROPICAL CYCLONE ADVISORY NO. 1 FOR NORTH INDIAN OCEAN (THE BAY OF BENGAL AND ARABIAN SEA) VALID FOR NEXT 120 HOURS ISSUED AT 0345 UTC OF 17.11.2023 BASED ON 0000 UTC OF 17.11.2023

SUB:DEEP DEPRESSION INTENSIFIED INTO A CYCLONIC STORM “MIDHILI” (PRONOUNCED AS “MIDHILI”) OVER NORTHWEST BAY OF BENGAL

THE DEEP DEPRESSION OVER NORTHWEST BAY OF BENGAL MOVED NORTH-NORTHEASTWARDS WITH A SPEED OF 20 KMPH DURING PAST 6 HOURS, INTENSIFIED INTO A CYCLONIC STORM “MIDHILI” (PRONOUNCED AS “MIDHILI”) AND LAY CENTERED AT 0000UTC OF TODAY, THE 17TH NOVEMBER OVER NORTHWEST BAY OF BENGAL NEAR LATITUDE 20.1°N AND LONGITUDE 88.5°E, ABOUT 190 KM EAST OF PARADIP (42976, ODISHA), 200 KM SOUTH-SOUTHEAST OF DIGHA (42901, WEST BENGAL) AND 220 KM SOUTHWEST OF KHEPUPARA (41984, BANGLADESH).

IT IS LIKELY TO CONTINUE TO MOVE NORTH-NORTHEASTWARDS AND CROSS BANGLADESH COAST CLOSE TO KHEPUPARA WITH WIND SPEED OF 60-70 KMPH GUSTING TO 80 KMPH DURING 1500UTC TO 2000UTC OF 17TH NOVEMBER, 2023.

FORECAST TRACK AND INTENSITY ARE GIVEN BELOW:

DATE/TIME (UTC)	POSITION LAT. °N/ LONG. °E	MAXIMUM SUSTAINED SURFACE WIND SPEED (KMPH)	CATEGORY OF CYCLONIC DISTURBANCE
17.11.23/0000	20.1/88.5	60-70 KMPH GUSTING TO 80 KMPH	CYCLONIC STORM
17.11.23/0600	20.7/89.0	70-80 KMPH GUSTING TO 90 KMPH	CYCLONIC STORM
17.11.23/1200	21.3/89.5	70-80 KMPH GUSTING TO 90 KMPH	CYCLONIC STORM
17.11.23/1800	22.0/90.0	60-70 KMPH GUSTING TO 80 KMPH	CYCLONIC STORM
18.11.23/0000	22.6/90.4	50-60 KMPH GUSTING TO 70 KMPH	DEEP DEPRESSION
18.11.23/1200	23.7/90.8	35-45 KMPH GUSTING TO 55 KMPH	DEPRESSION

Cloud distribution: (a) Isolated: <25%, Scattered:25-50%, Broken: 51-75%, Solid:>75%, Convection Intensity: (a) Weak: Cloud Top Temperature (CTT) >-25°C, (b) Moderate: CTT: - 25°C to -40°C, (c) Intense: CTT: - 41°C to -70°C and (d) Very Intense: : Less than -70°C
PROBABILITY OF CYCLOGENESIS (FORMATION OF DEPRESSION):NIL: 0%, LOW: 1-33%, , MODERATE: 34-66% AND HIGH: 67-100%
This is a guidance Bulletin for WMO/ESCAP Panel Member countries. Visit respective National websites for Country specific Bulletins

THE ASSOCIATED MAXIMUM SUSTAINED WIND SPEED IS 35 KNOTS GUSTING TO 45 KNOTS. THE WINDS ARE RELATIVELY STRONGER IN NORTHEAST SECTOR DUE TO NORTHEAST MONSOON CONDITIONS. THE ESTIMATED CENTRAL PRESSURE IS 1002 HPA VERY ROUGH TO HIGH SEA CONDITION IS PREVAILING OVER NORTH BAY OF BENGAL AND ALONG & OFF BANGLADESH COAST AND LIKELY TO CONTINUE TILL 0300 UTC OF 18TH NOVEMBER. ROUGH TO VERY ROUGH SEA CONDITION IS LIKELY ALONG & OFF WEST BENGAL COAST TILL 18TH NOVEMBER 0300 UTC. ROUGH SEA CONDITION IS LIKELY OVER ADJOINING CENTRAL BAY OF BENGAL TILL 1200 UTC OF 17TH NOVEMBER.

INTENSITY OF THE SYSTEM IS CHARACTERISED AS T2.5. CLOUDS ASSOCIATED WITH THE CYCLONIC STORM ARE ORGANISED IN SHEAR PATTERN. BROKEN LOW & MEDIUM CLOUDS WITH EMBEDDED INTENSE TO VERY INTENSE CONVECTION LAY OVER NORTH BAY OF BENGAL BETWEEN 20.0N & 23.0N AND LONGITUDE 88.0E & 92.0E, SOUTHEAST BANGLADESH, SOUTH BANGLADESH (MINIMUM CLOUD TOP TEMPERATURE IS -93⁰C) AND MODERATE TO INTENSE CONVECTION OVER NORTHEAST STATES AND NORTH BANGLADESH.

STORM SURGE GUIDANCE:


STORM SURGE OF ABOUT 1-2 METER HEIGHT ABOVE THE ASTRONOMICAL TIDE IS LIKE TO INUNDATE OVER LOW LYING AREAS OF BANGLADESH NEAR THE LANDFALL POINT AT THE TIME OF LANDFALL.

Remarks:

MADDEN JULIAN OSCILLATION INDEX IS IN PHASE 1 WITH AMPLITUDE CLOSE TO 1. IT WOULD MOVE TO PHASE 2 FROM 19TH NOVEMBER ONWARDS, WITH AMPLITUDE BECOMING MORE THAN 1. SEA SURFACE TEMPERATURE IS AROUND 28⁰C OVER THE SYSTEM AREA. THE TROPICAL CYCLONE HEAT POTENTIAL IS 70-80 KJ/CM² OVER SYSTEM AREAS AND TOWARDS THE TRACK OVER NORTH BAY OF BANGAL. THE LOW LEVEL RELATIVE POSITIVE VORTICITY IS SAME AND IS AROUND $150 \times 10^{-6} \text{ S}^{-1}$ TO THE SOUTHEAST OF SYSTEM CENTRE WITH VERTICAL EXTENSION UPTO 500 HPA LEVEL. THE POSITIVE LOW LEVEL CONVERGENCE HAS FURTHER INCREASED AND IS ABOUT $50 \times 10^{-5} \text{ S}^{-1}$ TO THE NORTHEAST OF SYSTEM AREA. POSITIVE UPPER LEVEL DIVERGENCE REMAINS SAME AND IS ABOUT $40 \times 10^{-5} \text{ S}^{-1}$ TO THE NORTHEAST OF SYSTEM AREA. WIND SHEAR IS HIGH (AROUND 40 KNOTS) OVER SYSTEM AREA AND ALSO ALONG & OFF WEST BENGAL-BANGLADESH COASTS. UPPER TROPOSPHERIC RIDGE RUNS ALONG 16⁰N.

THE GUIDANCE FROM VARIOUS NUMERICAL MODELS (IMD GFS, NCEP GFS, ECMWF AND IMD MME) AND ENVIRONMENTAL FEATURES SUGGEST THAT THE CYCLONIC STORM "MIDHILI" (PRONOUNCED AS "MIDHILI") IS LIKELY TO CONTINUE TO MOVE NORTH-NORTHEASTWARDS AND CROSS BANGLADESH COAST CLOSE TO KHEPUPARA WITH WIND SPEED OF 60-70 KMPH GUSTING TO 80 KMPH DURING 1500UTC TO 2000UTC OF 17TH NOVEMBER, 2023.


(SHASHI KANT)
SCIENTIST-D, RSMC



Cloud distribution: (a) Isolated: <25%, Scattered:25-50%, Broken: 51-75%, Solid:>75%, Convection Intensity: (a) Weak: Cloud Top Temperature (CTT) >-25°C, (b) Moderate: CTT: - 25°C to -40°C, (c) Intense: CTT: - 41°C to -70°C and (d) Very Intense: : Less than -70°C
PROBABILITY OF CYCLOGENESIS (FORMATION OF DEPRESSION):NIL: 0%, LOW: 1-33%, , MODERATE: 34-66% AND HIGH: 67-100%
This is a guidance Bulletin for WMO/ESCAP Panel Member countries. Visit respective National websites for Country specific Bulletins



OBSERVED AND FORECAST TRACK AND INTENSITY ALONGWITH CONE OF UNCERTAINTY IN ASSOCIATION WITH CYCLONIC STORM MIDHILI OVER NORTHWEST BAY OF BENGAL BASED ON 0000 UTC (0530 HRS IST) OF 17TH NOVEMBER 2023.



DATE/TIME IN UTC
 IST=UTC + 0530
 L: LOW PRESSURE AREA
 WML: WELL MARKED LOW PRESSURE AREA
 D: DEPRESSION (17-27 KT)
 DD: DEEP DEPRESSION (28-33 KT)
 CS: CYCLONIC STORM (34-47 KT)
 SCS: SEVERE CYCLONIC STORM (48-63KT)
 VSCS: VERY SEVERE CYCLONIC STORM (64-89 KT)
 ESCS: EXTREMELY SEVERE CYCLONIC STORM (90-119 KT)
 SuCS: SUPER CYCLONIC STORM (\geq 120 KT)


- LESS THAN 34 KT
- 34-47 KT
- \geq 48 KT
- OBSERVED TRACK
- FORECAST TRACK
- ▲ CONE OF UNCERTAINTY

Forecast	DISTANCE (KM) AND DIRECTION FROM STATIONS			
Date and Time (UTC)	PARADIP (CWR)	DIGHA	KHEPUPARA	CHITTAGONG (AMBAGAN)
17.11.23/0000	270, SSE	410, S	540, SSW	680 SW
18.11.23/0000	470, NE	320, ENE	80, NNE	150, W
18.11.23/1200	570, NE	410, NE	200, NNE	180, NW

Cloud distribution: (a) Isolated: <25%, Scattered:25-50%, Broken: 51-75%, Solid:>75%, Convection Intensity: (a) Weak: Cloud Top Temperature (CTT) >-25°C, (b) Moderate: CTT: - 25°C to -40°C, (c) Intense: CTT: - 41°C to -70°C and (d) Very Intense: : Less than -70°C
 PROBABILITY OF CYCLOGENESIS (FORMATION OF DEPRESSION):NIL: 0%, LOW: 1-33%, , MODERATE: 34-66% AND HIGH: 67-100%
 This is a guidance Bulletin for WMO/ESCAP Panel Member countries. Visit respective National websites for Country specific Bulletins



OBSERVED AND FORECAST TRACK AND INTENSITY ALONG WITH QUADRANT WIND DISTRIBUTION IN ASSOCIATION WITH CYCLONIC STORM MIDHILI NORTHWEST BAY OF BENGAL BASED ON 0000 UTC (0530 HRS IST) OF 17TH NOVEMBER 2023.



DATE/TIME IN UTC

IST=UTC + 0530

L: LOW PRESSURE AREA

WML: WELL MARKED LOW PRESSURE AREA

D: DEPRESSION (17-27 KT)

DD: DEEP DEPRESSION (28-33 KT)

CS: CYCLONIC STORM (34-47 KT)

SCS: SEVERE CYCLONIC STORM (48-63KT)

VSCS: VERY SEVERE CYCLONIC STORM (64-89 KT)

ESCS: EXTREMELY SEVERE CYCLONIC STORM (90-119 KT)

SuCS: SUPER CYCLONIC STORM (≥ 120 KT)

● LESS THAN 34 KT

○ 34-47 KT

○ ≥ 48 KT

— OBSERVED TRACK

— FORECAST TRACK

○ CONE OF UNCERTAINTY

AREA OF MAXIMUM SUSTAINED WIND SPEED:

■ 28-33 KT (52-61 KMPH)

■ 34-49 KT (62-91 KMPH)

■ 50-63 KT (92-117 KMPH)

■ ≥ 64 KT (≥ 118 KMPH)

IMPACT OVER THE SEA

MSW (knot/kmph)	Impact	Action
28-33 (52-61)	Very rough seas	Total suspension of fishing operations
34-49 (62-91)	High to very high seas	Total suspension of fishing operations
50-63 (92-117)	Very high seas	Total suspension of fishing operations
≥ 64 (≥ 118)	Phenomenal	Total suspension of fishing operations

Cloud distribution: (a) Isolated: <25%, Scattered:25-50%, Broken: 51-75%, Solid:>75%, Convection Intensity: (a) Weak: Cloud Top Temperature (CTT) >-25°C, (b) Moderate: CTT: - 25°C to -40°C, (c) Intense: CTT: - 41°C to -70°C and (d) Very Intense: : Less than -70°C
PROBABILITY OF CYCLOGENESIS (FORMATION OF DEPRESSION):NIL: 0%, LOW: 1-33%, , MODERATE: 34-66% AND HIGH: 67-100%
 This is a guidance Bulletin for WMO/ESCAP Panel Member countries. Visit respective National websites for Country specific Bulletins

Fishermen warning graphics




	Squally WX with wind speed 40-45 kmph gusting to 55 kmph
	Squally WX with wind speed 45-55 kmph gusting to 65 kmph
	Squally wind with speed 50-60 kmph gusting to 70 kmph
	CS with Gale wind speed 60-90 kmph gusting to 110 kmph

Fishermen are advised not to venture into the marked areas.

Cloud distribution: (a) Isolated: <25%, Scattered:25-50%, Broken: 51-75%, Solid:>75%, Convection Intensity: (a) Weak: Cloud Top Temperature (CTT) >-25°C, (b) Moderate: CTT: - 25°C to -40°C, (c) Intense: CTT: - 41°C to -70°C and (d) Very Intense: : Less than -70°C
 PROBABILITY OF CYCLOGENESIS (FORMATION OF DEPRESSION):NIL: 0%, LOW: 1-33%, , MODERATE: 34-66% AND HIGH: 67-100%
 This is a guidance Bulletin for WMO/ESCAP Panel Member countries. Visit respective National websites for Country specific Bulletins

Storm Surge Guidance



Cloud distribution: (a) Isolated: <25%, Scattered:25-50%, Broken: 51-75%, Solid:>75%, Convection Intensity: (a) Weak: Cloud Top Temperature (CTT) >-25°C, (b) Moderate: CTT: - 25°C to -40°C, (c) Intense: CTT: - 41°C to -70°C and (d) Very Intense: : Less than -70°C
PROBABILITY OF CYCLOGENESIS (FORMATION OF DEPRESSION): NIL: 0%, LOW: 1-33%, , MODERATE: 34-66% AND HIGH: 67-100%
 This is a guidance Bulletin for WMO/ESCAP Panel Member countries. Visit respective National websites for Country specific Bulletins

Flash Flood Guidance

24 hours Outlook for the Flash Flood Risk (FFR) till 1730 IST of 17-11-2023

⋮

Moderate flash flood risk likely over few watersheds & neighbourhoods of Southern parts of Gangetic West Bengal Met Sub-divisions during next 24 hours.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over AoC as shown in map due to expected rainfall occurrence in next 24 hours.

