



REGIONAL SPECIALISED METEOROLOGICAL CENTRE -TROPICAL CYCLONES, NEW DELHI
TROPICAL CYCLONE ADVISORY

DEMS-RSMC SPECIAL TROPICAL CYCLONES NEW DELHI DATED 29.11.2025

FROM: RSMC –TROPICAL CYCLONES, NEW DELHI

TO: STORM WARNING CENTRE, NAYPYITAW (MYANMAR)

STORM WARNING CENTRE, BANGKOK (THAILAND)

STORM WARNING CENTRE, COLOMBO (SRILANKA)

STORM WARNING CENTRE, DHAKA (BANGLADESH)

STORM WARNING CENTRE, KARACHI (PAKISTAN)

METEOROLOGICAL OFFICE, MALE (MALDIVES)

OMAN METEOROLOGICAL DEPARTMENT,

MUSCAT (THROUGH RTH JEDDAH)

YEMEN METEOROLOGICAL SERVICES,

REPUBLIC OF YEMEN (THROUGH RTH JEDDAH)

NATIONAL CENTRE FOR METEOROLOGY, UAE (THROUGH RTH JEDDAH)

PRESIDENCY OF METEOROLOGY AND ENVIRONMENT,

SAUDI ARABIA (THROUGH RTH JEDDAH)

IRAN METEOROLOGICAL ORGANISATION, (THROUGH RTH JEDDAH)

QATAR METEOROLOGICAL DEPARTMENT (THROUGH RTH JEDDAH)

TROPICAL CYCLONE ADVISORY NO. 33 FOR NORTH INDIAN OCEAN (THE BAY OF BENGAL AND ARABIAN SEA) VALID FOR NEXT 120 HOURS ISSUED AT 0345 UTC OF 30.11.2025 BASED ON 0000 UTC OF 30.11.2025

Cyclonic Storm Ditwah [Pronunciation: Ditwah] over southwest Bay of Bengal and adjoining Tamil Nadu-Puducherry coasts:

The **Cyclonic Storm Ditwah [Pronunciation: Ditwah]** over southwest Bay of Bengal and adjoining north Sri Lanka moved nearly northwards with the speed of 7 kmph during past 6 hours and lay centered at 0000 UTC of today, the 30th November 2025 over the same region, near latitude 11.1°N and longitude 80.6°E about 90 km east-northeast of Karaikal (43346), 120 km northeast of Vedaranniyam (43349), 130 km southeast of Puducherry (43331), 170 km north-northeast of Jaffna (43404), and 220 km south-southeast of Chennai (43279).

It is very likely to move nearly northwards parallel to North Tamil Nadu-Puducherry coasts during next 24 hours.

While moving northwards the cyclonic storm will be centered over southwest Bay of Bengal within a minimum distance of about 70 km and 30km from the Tamil Nādu-Puducherry coastline by 0600 UTC and 1200 UTC of today, the 30th November respectively.

Forecast track and intensity are given in Table below

Date/Time (UTC)	Position (Lat. °N/ Long. °E)	Maximum Sustained Surface Wind Speed (Kmph)	Category Of Cyclonic Disturbance
30.11.25/0000	11.1/80.6	70-80 gusting to 90	Cyclonic Storm
30.11.25/0600	11.6/80.5	65-75 gusting to 85	Cyclonic Storm
30.11.25/1200	12.2/80.5	55-65 gusting to 75	Deep Depression
30.11.25/1800	12.8/80.5	50-60 gusting to 70	Deep Depression
01.12.25/0000	13.4/80.5	45-55 gusting to 65	Depression

As per INSAT 3DR at 0000 UTC, Intensity T2.5, the associated scattered to broken low and medium clouds with embedded intense to very intense convection lay over southwest adjoining westcentral Bay of Bengal, Tamil Nadu, south Coastal Andhra Pradesh, Rayalaseema, South-interior Karnataka and Kerala (minimum CTT minus 70-90 degree Celsius). Moderate to intense convection lay over Palk Strait, Gulf of Mannar, Sri Lanka and rest of southwest Bay of Bengal (minimum CTT minus 40-60 degree Celsius).

The estimated central pressure is about 1001 hPa. The associated maximum sustained wind speed is about 40 knots gusting upto 50 knots.

Sea condition is high over southwest Bay of Bengal & adjoining north Sri Lanka, Gulf of Mannar, Comorin area and along & off Tamil Nadu-Puducherry coasts.

Strom surge warning: Storm surge of height about 0.3 m to 0.5m above the astronomical tide (0.4 m during high tide) is likely to inundate the low-lying coastal areas of Tamil Nadu- Puducherry till 30th/ 1200 UTC.

REMARKS:

The guidance from various models indicates that the Madden Julian Oscillation (MJO) index is presently in phase 7 with amplitude more than 1 and is likely to continue in same phase during next 5 days. The sea surface temperature is around 28°C over southwest Bay of Bengal and along & off Sri Lanka, Tamil Nadu & South Andhra Pradesh coast along the forecast track.

The guidance from NCICS model indicates westerly wind anomaly (7-9 mps) along with prevalence of Equatorial Rossby Wave (ERW), Kelvin wave (KW) and low frequency background wave (LW) over the southern parts of the Bay of Bengal (BoB) and adjoining southeast Arabian Sea (AS) and easterly wind anomaly (3-5 mps) to its north over southwest BoB off Tamil Nadu coast-Andhra Pradesh coasts on 29th & 30th November. Thereafter, slight weakening of these features is indicated.

The Low level relative vorticity at 850 hPa is about $100 \times 10^{-6} \text{ s}^{-1}$ over Sri Lanka and adjoining southwest Bay of Bengal to the south of system centre. Vertically the positive vorticity zone is extending up to 200 hPa and tilting slightly southwestwards with height. Upper-level divergence is around $10 \times 10^{-6} \text{ s}^{-1}$ around the system. Low-level convergence is around $10 \times 10^{-6} \text{ s}^{-1}$ around the system centre. Mid layer shear is around (10-15 kts) and anti-cyclonic over the system area. The deep layer wind shear of horizontal wind is moderate (15-20 kt) and anti-cyclonic over the system area and hence favorable to maintain intensity. Warm air advection around system centre has reduced.

As the system moves northwards, it may encounter higher wind shear over southwest & adjoining Westcentral BoB and along & off North Tamil Nadu-Andhra Pradesh coasts. Cold and dry air incursion from the southern peninsular is increasing and has reached upto northeast sector. Currently the system is in marginally favourable environment which may lead to weakening of system from 0600 UTC onwards.

There is good consensus among various models with respect to northwards movement of the system across southwest Bay of Bengal off Tamil Nadu, Puducherry and adjoining south Andhra Pradesh coasts till 1st December. There is also consensus among various models wrt gradual weakening of the system from 30th/ 1200 UTC onwards.

- (i) Confidence level in estimation of current location of Cyclonic Storm: High
- (ii) Confidence level in estimation of estimation of current intensity: High
- (iii) Confidence level in forecast track: High
- (iv) Confidence level in forecast intensity: Moderate


Monica Sharma
Scientist-E
Scientist, RSMC, New Delhi



INSAT-3DS IMG, Thermal Infrared1 Count @ 10.83 μm
GMT:30-11-2025/(0200-0227) IST:30-11-2025/(0730-0757)
L1C MERCATOR (LINEAR STRETCH: 1%)


497

831





OBSERVED AND FORECAST TRACK OF CYCLONIC STORM “DITWAH” OVER SOUTHWEST BAY OF BENGAL AND ADJOINING NORTH TAMILNADU-PUDUCHERRY COASTS BASED ON 0000 UTC (0530 Hrs. IST) OF 30TH NOVEMBER 2025



DATE/TIME IN UTC

IST=UTC + 0530

L: LOW PRESSURE AREA

WML: WELL MARKED LOW PRESSURE AREA

D: DEPRESSION (17-27 KT)

DD: DEEP DEPRESSION (28-33 KT)

CS: CYCLONIC STORM (34-47 KT)

SCS: SEVERE CYCLONIC STORM (48-63KT)

VSCS: VERY SEVERE CYCLONIC STORM (64-89 KT)

ESCS: EXTREMELY SEVERE CYCLONIC STORM (90-119 KT)

SuCS: SUPER CYCLONIC STORM (≥ 120 KT)



LESS THAN 34 KT



34-47 KT



≥ 48 KT



OBSERVED TRACK




FORECAST TRACK



CONE OF UNCERTAINTY



OBSERVED AND FORECAST TRACK ALONGWITH QUADRANT WIND DISTRIBUTION OF CYCLONIC STORM "DITWAH" OVER SOUTHWEST BAY OF BENGAL AND ADJOINING NORTH TAMILNADU-PUDUCHERRY COASTS BASED ON 0000 UTC (0530 Hrs. IST) OF 30TH NOVEMBER 2025



DATE/TIME IN UTC

IST=UTC + 0530

L: LOW PRESSURE AREA

WML: WELL MARKED LOW PRESSURE AREA

D: DEPRESSION (17-27 KT)

DD: DEEP DEPRESSION (28-33 KT)

CS: CYCLONIC STORM (34-47 KT)

SCS: SEVERE CYCLONIC STORM (48-63KT)

VSCS: VERY SEVERE CYCLONIC STORM (64-89 KT)

ESCS: EXTREMELY SEVERE CYCLONIC STORM (90-119 KT)

SuCS: SUPER CYCLONIC STORM (≥ 120 KT)

● LESS THAN 34 KT

○ 34-47 KT

● ≥ 48 KT

— OBSERVED TRACK

— FORECAST TRACK

— CONE OF UNCERTAINTY

AREA OF MAXIMUM SUSTAINED WIND SPEED:

— 28-33 KT (52-61 KMPH)

— 34-49 KT (62-91 KMPH)

— 50-63 KT (92-117 KMPH)

— ≥ 64 KT (≥118 KMPH)

IMPACT OVER THE SEA

MSW (knot/kmph)	Impact	Action
28-33 (52-61)	Very rough seas	Total suspension of fishing operations
34-49 (62-91)	High to very high seas	Total suspension of fishing operations
50-63 (92-117)	Very high seas	Total suspension of fishing operations
≥ 64 (≥118)	Phenomenal	Total suspension of fishing operations


Cloud distribution: (a) Isolated: <25%, Scattered:25-50%, Broken: 51-75%, Solid:>75%, Convection Intensity: (a) Weak: Cloud Top Temperature(CTT)>-25°C, (b) Moderate: CTT:-25°Cto-40°C, (c) Intense: CTT: -41°Cto -70°C and (d) Very Intense::Less than -70°C
Probability of cyclogenesis (formation of depression) :NIL:0%, LOW:1-33%, MODERATE:34-66% and HIGH:67-100%
This is a guidance Bulletin for WMO/ESCAP Panel Member countries. Visit respective National websites for Country specific Bulletins.

Storm Surge Guidance

STORM SURGE HEIGHT INFORMATION:

* The below listed surge heights are over and above astronomical tide.

MANDAL/TALUK	DISTRICT	STATE / UNION TERRITORY	NEAREST PLACE OF HABITATION	STORM SURGE (m) *	EXPECTED INUNDATION EXTENT (km)
Chengalpattu	Kancheepuram	Tamil Nadu	Muthukadu	0.3-0.5	Nil
Ponneri	Thiruvallur	Tamil Nadu	Karimanal	0.2-0.4	Upto 0.15



Fishermen Warning Graphics

