



**REGIONAL SPECIALISED METEOROLOGICAL CENTRE-TROPICAL CYCLONES, NEW DELHI
TROPICAL CYCLONE ADVISORY**

DEMS-RSMC SPECIAL TROPICAL CYCLONES NEW DELHI DATED 16.06.2023

FROM: RSMC –TROPICAL CYCLONES, NEW DELHI

**TO: STORM WARNING CENTRE, NAYPYI TAW (MYANMAR)
STORM WARNING CENTRE, BANGKOK (THAILAND)
STORM WARNING CENTRE, COLOMBO (SRILANKA)
STORM WARNING CENTRE, DHAKA (BANGLADESH)
STORM WARNING CENTRE, KARACHI (PAKISTAN)
METEOROLOGICAL OFFICE, MALE (MALDIVES)
OMAN METEOROLOGICAL DEPARTMENT, MUSCAT (THROUGH RTH JEDDAH)
YEMEN METEOROLOGICAL SERVICES, REPUBLIC OF YEMEN (THROUGH RTH JEDDAH)
NATIONAL CENTRE FOR METEOROLOGY, UAE (THROUGH RTH JEDDAH)
PRESIDENCY OF METEOROLOGY AND ENVIRONMENT, SAUDI ARABIA (THROUGH RTH JEDDAH)
IRAN METEOROLOGICAL ORGANISATION, (THROUGH RTH JEDDAH)
QATAR METEOROLOGICAL DEPARTMENT (THROUGH RTH JEDDAH)**

TROPICAL CYCLONE ADVISORY NO. 80 FOR NORTH INDIAN OCEAN (THE BAY OF BENGAL AND ARABIAN SEA) VALID FOR NEXT 24 HOURS ISSUED AT 1500 UTC OF 16.06.2023 BASED ON 1200 UTC OF 16.06.2023

SUB: CYCLONIC STORM “BIPARJOY” (PRONOUNCED AS “BIPORJOY”) OVER KUTCH AND ADJOINING PAKISTAN

THE CYCLONIC STORM “BIPARJOY” (PRONOUNCED AS “BIPORJOY”) OVER SAURASHTRA & KUTCH MOVED NEARLY NORTHEASTWARDS WITH A SPEED OF 13 KMPH DURING PAST 6-HOURS AND LAY CENTERED AT 1200 UTC OF TODAY, THE 16TH JUNE, 2023 OVER KUTCH AND ADJOINING PAKISTAN NEAR LATITUDE 24.2°N AND LONGITUDE 70.3°E, ABOUT 30 KM NORTHEAST OF DHOLAVIRA, 190 KM WEST OF DEESA AND 200 KM SOUTH-SOUTHWEST OF BARMER.

IT IS VERY LIKELY TO MOVE NEARLY NORTHEASTWARDS AND WEAKEN FURTHER INTO A DEEP DEPRESSION AROUND 1800 UTC OF TODAY, THE 16TH JUNE.

Forecast track and intensity are given below:

Date/Time(UTC)	Position (Lat. °N/ long. °E)	Maximum sustained surface wind speed (Kmph)	Category of cyclonic disturbance
16.06.23/1200	24.2/70.3	65-75 Gusting To 85	CYCLONIC STORM
16.06.23/1800	24.7/71.0	50-60 Gusting To 70	DEEP DEPRESSION
17.06.23/0000	25.1/71.8	40-50 Gusting To 60	DEPRESSION

AS PER INSAT 3D IMAGERY, ASSOCIATED BROKEN LOW TO MEDIUM CLOUDS WITH EMBEDDED INTENSE TO VERY INTENSE CONVECTION LAY OVER NORTHEAST ARABIAN SEA, SAURASHTRA, GULF OF KUTCH, GUJARAT, SOUTHWEST RAJASTHAN AND ADJOINING SOUTHEAST PAKISTAN. MINIMUM CLOUD TOP TEMPERATURE IS MINUS 90°C. MICROWAVE IMAGERY AT 1212 UTC OF 16TH INDICATES DECREASE IN STRENGTH OF WALL CLOUD REGION. IT ALSO SHOWS THAT AREA OF INTENSE CLOUD MASS IS TO THE SOUTHWEST OF SYSTEM CENTRE. TOTAL PRECIPITABLE WATER IMAGERY INDICATES WARM MOIST AIR FEEDBACK FROM ARABIAN SEA INTO THE CORE FROM SOUTHEAST SECTOR. WATER VAPOUR IMAGERY INDICATES RELATIVE HUMIDITY MORE THAN 50% IN THE MIDDLE TROPOSPHERIC LEVELS IN THE SOUTHWEST SECTOR.

ASSOCIATED MAXIMUM SUSTAINED WIND SPEED (MSW) IS 35 KNOTS GUSTING TO 45 KNOTS. THE ESTIMATED CENTRAL PRESSURE IS 986 HPA. SEA CONDITION IS LIKELY TO BE VERY ROUGH OVER NORTHEAST ARABIAN SEA LIKELY TO BECOME ROUGH FROM 1800 UTC OF 16TH JUNE FOR SUBSEQUENT SIX HOURS.

AT 1200 UTC, CHHOR (41768) MEAN SEA LEVEL PRESSURE (MSLP) OF 993.3 HPA, AND MAXIMUM SUSTAINED WIND SPEED (MSW) OF 50°/10KT. BARMER (42435) REPORTED MSLP OF 996.9 HPA AND MSW OF 50°/05KT. DEESA (42539) REPORTED MSLP OF 994 HPA AND MSW OF 110°/16KT. BHUJ (42634) REPORTED MSLP OF 994.9 HPA AND MSW OF 250°/12KT.

REMARKS:


THE LOW LEVEL VORTICITY HAS DECREASED AND IS AROUND $200 \times 10^{-6} \text{S}^{-1}$ & IS LOCATED TO THE SOUTHWEST OF THE SYSTEM CENTRE. LOW LEVEL CONVERGENCE HAS DECREASED AND IS ABOUT $20 \times 10^{-5} \text{S}^{-1}$ TO THE SOUTHWEST OF THE SYSTEM CENTRE AND UPPER LEVEL DIVERGENCE HAS INCREASED IS ABOUT $40 \times 10^{-5} \text{S}^{-1}$ TO THE SOUTHWEST OF SYSTEM CENTRE. VERTICAL WIND SHEAR IS MODERATE (15-20 KNOTS) OVER THE SYSTEM AREA. THE RIDGE RUNS ALONG 24.5°N. THE DEEP LAYER MEAN WINDS, INDICATE A WESTERLY TROUGH ALONG 66.5E TO THE WEST OF SYSTEM CENTRE. THE SYSTEM IS MOVING EAST-NORTHEASTWARDS UNDER THE INFLUENCE OF WEST-SOUTHWESTERLY WINDS PREVAILING TO THE NORTH OF THE RIDGE AND THE WESTERLY TROUGH. SYSTEM IS STILL IN A MODERATELY FAVOURABLE ENVIRONMENT, THUS IT IS WEAKING GRADUALLY.

BASED ON ENVIRONMENTAL CONDITIONS AND NWP MULTI-MODEL FORECASTS THE SYSTEM IS VERY LIKELY TO MOVE NEARLY NORTHEASTWARDS AND WEAKEN GRADUALLY INTO A DEEP DEPRESSION AROUND 1800 UTC OF TODAY, THE 16TH JUNE AND SUBSEQUENTLY INTO A DEPRESSION AROUND 0000 UTC OF TOMORROW, 17TH JUNE.

**M. SHARMA
SCIENTIST D
RSMC NEW DELHI**




Cyclonic Storm "Biparjoy" (24.2°N/70.3°E)



Cloud distribution: (a) Isolated: <25%, Scattered:25-50%, Broken: 51-75%, Solid:>75%, Convection Intensity: (a) Weak: Cloud Top Temperature (CTT) >-25°C, (b) Moderate: CTT: - 25°C to -40°C, (c) Intense: CTT: - 41°C to -70°C and (d) Very Intense: : Less than -70°C
PROBABILITY OF CYCLOGENESIS (FORMATION OF DEPRESSION):NIL: 0%, LOW: 1-33%, , MODERATE: 34-66% AND HIGH: 67-100%
This is a guidance Bulletin for WMO/ESCAP Panel Member countries. Visit respective National websites for Country specific Bulletins



OBSERVED AND FORECAST TRACK ALONGWITH CONE OF UNCERTAINTY OF CYCLONIC STORM "BIPARJOY" OVER KUTCH AND ADJOINING PAKISTAN BASED ON 1200 UTC (1730 IST) OF 16TH JUNE 2023.




DATE/TIME IN UTC
 IST=UTC + 0530
 L: LOW PRESSURE AREA
 WML: WELL MARKED LOW PRESSURE AREA
 D: DEPRESSION (17-27 KT)
 DD: DEEP DEPRESSION (28-33 KT)
 CS: CYCLONIC STORM (34-47 KT)
 SCS: SEVERE CYCLONIC STORM (48-63KT)
 VSCS: VERY SEVERE CYCLONIC STORM (64-89 KT)
 ESCS: EXTREMELY SEVERE CYCLONIC STORM (90-119 KT)
 SuCS: SUPER CYCLONIC STORM (≥ 120 KT)

- LESS THAN 34 KT
- 34-47 KT
- ≥ 48 KT
- OBSERVED TRACK
- FORECAST TRACK
- CONE OF UNCERTAINTY

Cloud distribution: (a) Isolated: <25%, Scattered:25-50%, Broken: 51-75%, Solid:>75%, Convection Intensity: (a) Weak: Cloud Top Temperature (CTT) >-25°C, (b) Moderate: CTT: - 25°C to -40°C, (c) Intense: CTT: - 41°C to -70°C and (d) Very Intense: : Less than -70°C
 PROBABILITY OF CYCLOGENESIS (FORMATION OF DEPRESSION):NIL: 0%, LOW: 1-33%, , MODERATE: 34-66% AND HIGH: 67-100%
 This is a guidance Bulletin for WMO/ESCAP Panel Member countries. Visit respective National websites for Country specific Bulletins



OBSERVED AND FORECAST TRACK ALONGWITH QUADRANT WIND DISTRIBUTION OF CYCLONIC STORM "BIPARJOY" OVER KUTCH AND ADJOINING PAKISTAN BASED ON 1200 UTC (1730 IST) OF 16TH JUNE 2023.



DATE/TIME IN UTC
 IST=UTC + 0530
 L: LOW PRESSURE AREA
 WML: WELL MARKED LOW PRESSURE AREA
 D: DEPRESSION (17-27 KT)
 DD: DEEP DEPRESSION (28-33 KT)
 CS: CYCLONIC STORM (34-47 KT)
 SCS: SEVERE CYCLONIC STORM (48-63KT)
 VSCS: VERY SEVERE CYCLONIC STORM (64-89 KT)
 ESCS: EXTREMELY SEVERE CYCLONIC STORM (90-119 KT)
 SuCS: SUPER CYCLONIC STORM (≥ 120 KT)


● LESS THAN 34 KT
 ○ 34-47 KT
 ○ ≥ 48 KT
 — OBSERVED TRACK
 — FORECAST TRACK
 ▲ CONE OF UNCERTAINTY
 AREA OF MAXIMUM SUSTAINED WIND SPEED:
 ■ 28-33 KT (52-61 KMPH)
 ■ 34-49 KT (62-91 KMPH)
 ■ 50-63 KT (92-117 KMPH)
 ■ ≥ 64 (≥118 KMPH)

IMPACT OVER THE SEA

MSW (knot/kmph)	Impact	Action
28-33 (52-61)	Very rough seas	Total suspension of fishing operations
34-49 (62-91)	High to very high seas	Total suspension of fishing operations
50-63 (92-117)	Very high seas	Total suspension of fishing operations
≥ 64 (≥118)	Phenomenal	Total suspension of fishing operations

Cloud distribution: (a) Isolated: <25%, Scattered:25-50%, Broken: 51-75%, Solid:>75%, Convection Intensity: (a) Weak: Cloud Top Temperature (CTT) >-25°C, (b) Moderate: CTT: - 25°C to -40°C, (c) Intense: CTT: - 41°C to -70°C and (d) Very Intense: : Less than -70°C
 PROBABILITY OF CYCLOGENESIS (FORMATION OF DEPRESSION):NIL: 0%, LOW: 1-33%, , MODERATE: 34-66% AND HIGH: 67-100%
 This is a guidance Bulletin for WMO/ESCAP Panel Member countries. Visit respective National websites for Country specific Bulletins

Fishermen warning graphics



Cloud distribution: (a) Isolated: <25%, Scattered:25-50%, Broken: 51-75%, Solid:>75%, Convection Intensity: (a) Weak: Cloud Top Temperature (CTT) >-25°C, (b) Moderate: CTT: - 25°C to -40°C, (c) Intense: CTT: - 41°C to -70°C and (d) Very Intense: : Less than -70°C
 PROBABILITY OF CYCLOGENESIS (FORMATION OF DEPRESSION):NIL: 0%, LOW: 1-33%, , MODERATE: 34-66% AND HIGH: 67-100%
 This is a guidance Bulletin for WMO/ESCAP Panel Member countries. Visit respective National websites for Country specific Bulletins