



## Ministry of Earth Sciences India Meteorological Department Cyclone Warning Division, New Delhi

## Tropical Cyclone Forecast Programme Report Dated 08<sup>th</sup> December 2022

# Time of Issue: 1200 UTC

## Synoptic features (based on 0600 UTC analysis):

Yesterday's Deep Depression over Southwest & adjoining Southeast Bay of Bengal moved west-northwestwards and lay centred at 1730 hours IST of today, the 07<sup>th</sup> December, 2022 over Southwest and adjoining Southeast Bay of Bengal, near latitude 8.9°N and longitude 85.0°E. Thereafter, it moved nearly west-northwestwards, intensified into a cyclonic storm "Mandous" pronounced as "Man-Dous" over Southwest Bay of Bengal, near latitude 9.2°N and longitude 84.6°E around midnight (2330 hours IST) of 7<sup>th</sup> December. It then continued to move nearly west-northwestwards and lay centered in the morning (0830 hours IST) of 08<sup>th</sup> December 2022 over Southwest Bay of Bengal, near latitude 9.5°N and longitude 83.8°E, about 300 km east-northeast of Trincomalee (Sri Lanka), 420 km east-southeast of Jaffna (Sri Lanka), 460 km east-southeast of Karaikal and about 550 km southeast of Chennai.

## **Dynamical and thermo-dynamical features**

Parameter	Bay of Bengal (BoB)	Arabian Sea (AS)		
Sea Surface Temperature (SST) ºC	Around 28°C over southwest and central BoB. It decreases to 27°C over along and off north Tamil Nadu and adjoining Andhra Pradesh coasts.	5		
Tropical Cyclone Heat Potential (TCHP) kJ/cm <sup>2</sup>		70-90 over southeast and adjoining eastcentral and		
Cyclonic Relative vorticity (X10 <sup>-6</sup> s <sup>-1</sup> )	250 around system center.	10-20 over north AS, southeast AS & adjoining EIO.		
Low Level convergence (X10 <sup>-5</sup> s <sup>-1</sup> )	60 to the west of system center.	Small pocket of 5 over southeast AS and adjoining EIO.		
Upper Level divergence (X10 <sup>-5</sup> s <sup>-1</sup> )	50 to the north of system center.	20-30 over southeast AS, Lakshadweep, Maldives and Comorin area, 5-10 o9ver southeast AS.		
Vertical Wind Shear (VWS knots)	Moderate 25-30 knots over and along			

	the expected track.		
Wind Shear Tendency (knots)	Decreasing over south Andaman Sea & adjoining southeast & westcentral BoB.	Decreasing over north AS.	
Upper tropospheric Ridge	Along 15.0°N over the BoB.	Along 10.0°N over the AS.	
Trough in westerlies	No significant trough		

## Satellite observations based on INSAT imagery (0600 UTC):

## a) Over the BoB & Andaman Sea: -

As per INSAT 3D Imagery, The Convection shows curved band pattern with intensity T3.0. The associated broken low and medium clouds with embedded intense to very intense convection lies over southwest Bay of Bengal between area latitude 6°N to 12.5°N and longitude between 81.0°E to 85.5°E. The cloud top temperature od -93°C. The maximum sustained surface wind speed is 40 knots gusting to 50 knots. The estimated central pressure is about 995 HPa. Sea condition is very rough to high over southwest Bay of Bengal and neighborhood.

## b) Over the Arabian Sea: -

Associated scattered low and medium clouds with embedded intense to very intense convection lay over southwest Arabian Sea. Scattered low and medium clouds with embedded moderate to intense convection lay over eastcentral & southeast Arabian sea and Comorin area.

## M.J.O. Index:

The Madden Julian Oscillation (MJO) Index is currently in Phase 3 with amplitude less than 1. It will continue in same phase for next 1 day. Thereafter, it will move to phase 4 and remain there for another 2 days.

## Storms and Depression over South China Sea/ South Indian Ocean:

NIL

MODEL GUIDANCE	Bay of Bengal (BoB)	Arabian Sea (AS)
IMD-GFS	The cyclonic storm (CS) over southwest BoB as on today 8 <sup>th</sup> . It will intensify into severe cyclonic storm (SCS) over southwest BoB on 8 <sup>th</sup> evening. It moves west-northwestward and weaken to CS over southwest BoB by 9 <sup>th</sup>	No significant system
	morning off north Tamil Nadu – south Andhra Pradesh coasts and further weaken at 0000UTC of 10 <sup>th</sup> Dec as DD. It will make landfall along north Tamil Nadu – south Andhra Pradesh coasts between 1800UTC of 9 <sup>th</sup> and 2100UTC of 9 <sup>th</sup> Dec as a DD/CS (with MSD 32kts) near lat/lon of 12.8°N/80.2°E.	
IMD-GEFS	The severe cyclonic storm (SCS) over southwest BoB as on today, 8 <sup>th</sup> Dec. It will move in west-northwest ward and lay as CS	No significant system

# Model guidance based on 0000 UTC for the next 7 days

0550	over southwest BoB on 9 <sup>th</sup> , and close to north Tamil Nadu – south Andhra Pradesh coast on 10 <sup>th</sup> Dec morning as DD. It will make landfall along north Tamil Nadu – south Andhra Pradesh coasts between 1800UTC of 9 <sup>th</sup> Dec. and 2100UTC of 9 <sup>th</sup> Dec as a DD (with MSD 31kts) near lat/lon of 13.5°N/80.2°E.	
GEFS Probabilistic guidance	Based on the models guidance, 70-95 % probability is indicating that system to make landfall along north Tamil Nadu – south Andhra Pradesh coast as a DD between lat/lon 10.0°N/79.8°E to lat/lon 13.3°N/80.2°E with probability as 70-95% of MSD more than (with MSD 24 kts).	
IMD WRF	The severe cyclonic storm (SCS) over southwest BoB on 8 <sup>th</sup> , will move in west- northwest ward and will lay as SCS over southwest BoB on 0000 UTC 9 <sup>th</sup> Dec. It weakens to CS and then will make landfall along north Tamil Nadu – south Andhra Pradesh coasts 0000 UTC of 10 <sup>th</sup> Dec. as a CS (with MSD 40 kts) near lat/lon of 13.5°N/80.3°E.	forecast duration.
NCMRWF- NCUM	The Cyclonic storm on 8 <sup>th</sup> Dec. over southwest BoB, will move in west-northwestward direction intensify into SCS over SW BoB off north Tamil Nadu – south Andhra Pradesh coast on 0000 UTC of 9 <sup>th</sup> Dec. It will make its landfall around 2100 UTC of 9 <sup>th</sup> Dec as a CS (with MSD 42kts) near lat/lon 12.2°N/79.6°E	
NCMRWF- NEPS	It show as SCS over southwest BoB close to northeast of Sri Lanka coast at 0000 UTC on 8 <sup>th</sup> , over SW BoB off north Tamil Nadu – south Andhra Pradesh coast. It remains as SCS on 9 <sup>th</sup> Dec., and it weakens and then makes landfall as CS around 00UTC of 10 <sup>th</sup> Dec as a CS (with MSD 40kts) near lat/lon 12.1°N/80.0°E	No significant system
NCMRWF- UM (Regional)	The CS over southwest BoB on 0000UTC of 8 <sup>th</sup> Dec. intensify into SCS over southwest BoB close to Tamil Nadu - Puducherry coast by 8 <sup>th</sup> Dec evening. It will move west-northwestwards and lay centred on 0000UTC of 9 <sup>th</sup> Dec over SW BoB off north Tamil Nadu – south Andhra Pradesh coast as CS. It will make its landfall around 0000 UTC of 10 <sup>th</sup> Dec as a CS (with MSD 41kts) near lat/lon 12.8°N/80.2°E.	No significant system
ECMWF	The Cyclonic Storm (CS) over southwest BoB moved west-northwestwards and further intensifies into SCS by night of 8 <sup>th</sup> Dec. Then it maintains its intensity as SCS over SW BoB till 0600 UTC of 9 <sup>th</sup> Dec. Models shows weakening to CS in the afternoon with west- northwestwards movement at 1200 UTC towards north Tamil Nadu – south Andhra Pradesh coasts. It will make landfall close to north Tamil Nadu – south Andhra Pradesh	No significant system

	coast on 9 <sup>th</sup> between 1800 UTC and 2100 UTC as a CS (with MSD 35kts) near lat/lon 13.0°N/80.05°E	
ECMWF ensemble	The Cyclonic Storm over southwest BoB on the 8 <sup>th</sup> morning moved west-northwestwards as CS with 70-90% probability on 9 <sup>th</sup> Dec. and will reach north Tamil Nadu – south Andhra Pradesh coast on 12 UTC of 9 <sup>th</sup> Dec. It will make landfall as DD (with MSD 32kts) near lat/lon 13.2°N/80.2°E	No significant system
NCEP-GFS	The CS over southwest BoB on 0000 UTC of 8 <sup>th</sup> Dec. over southwest BoB. It will move west- northwestwards close to north Tamil Nadu – south Andhra Pradesh coast on 10 <sup>th</sup> . It will make landfall close to north Tamil Nadu – south Andhra Pradesh coast between 12UTC- 18UTC of 9 <sup>th</sup> as a CS (with MSD 42kts) near lat/lon 12.2°N/80.0°E	
IMD MME	The CS over southwest BoB on 0000 UTC 8 <sup>th</sup> Dec. intensify into SCS by 8 <sup>th</sup> evening. It will then move northwestwards gradually decrease into CS on 00UTC of 9 <sup>th</sup> Dec. it will then move west-northwestwards and will weaken into DD over southwest Bay close to north Tamil Nadu – south Andhra Pradesh coast on 10 <sup>th</sup> . It will make landfall close to north Tamil Nadu – south Andhra Pradesh coast on 10 <sup>th</sup> 0000 UTC as a DD (with MSD 27kts) near lat/lon 12.37°N/80.23°E	No significant system
IMD HWRF	The CS over southwest BoB on the 0000UTC of 8 <sup>th</sup> Dec intensify into severe cyclonic storm (SCS) 1200 UTC of 8 <sup>th</sup> Dec. It moves west northwestwards gradually decrease into CS on 00UTC of 9 <sup>th</sup> Dec. It will make landfall close to north Tamil Nadu – south Andhra Pradesh coast around 10 <sup>th</sup> 0000 UTC as a DD (with MSD 28kts) near lat/lon 12.7°N/80.6°E	5 ,
IMD- Genesis Potential Parameter	A significant potential zone over south- southeast BoB as on 8 <sup>th</sup> Dec. having west- northwestwards movement.	No potential zone over Arabian Sea during next 7 days

#### Summary and conclusion:

Most of the NWP models are indicating the present Cyclonic Storm "Mandous" (pronounced as "Man-Dous") over Southwest Bay of Bengal likely to continue to move west-northwestwards and intensify further into severe cyclonic storm by evening of today. It will maintain its intensity of severe cyclonic storm till early morning of 9th Dec. and then weaken gradually into a cyclonic storm tomorrow.

It will have west-northwest ward movement. All the models are unanimously indicating its intensification into severe cyclonic storm by 1200 UTC of 8<sup>th</sup> Dec and west-northwestwards movement, except NCEP GFS which are indicating the system will remain as CS.

Table 1 shows summary of various models in terms of Landfall timing, location and intensity at the time of crossing coasts based upon MME-IMD, ECMWF, HWRF, NCUM, IMD-GFS, IMD-GEFS, NEPS, NEPS-R. Most of the models are indicating landfall by mid-

night of 9<sup>th</sup> Dec with intensity as CS with MSD as 40 kts (with a maximum sustained wind speed of 65-75 kmph gusting to 85 kmph) along north Tamil Nadu, Puducherry-south Andhra Pradesh coasts between 12°N to 13.0°N between Puducherry and Sriharikota near 12.6°N/79.0°E whereas, IMD-GFS are indicating its landfall around 10<sup>th</sup> Dec.

## In view of all the above, it is inferred that

## 1. For the Bay of Bengal:

The cyclonic storm "Mandous" pronounced as "Man-Dous" over Southwest Bay of Bengal very likely to move west-northwestwards and intensify further into a Severe Cyclonic Storm during next 06 hours. It will maintain its intensity of Severe Cyclonic Storm till early morning of 9<sup>th</sup> December and then weaken gradually into a cyclonic storm tomorrow. It is very likely to cross north Tamilnadu, Puducherry and adjoining south Andhra Pradesh coasts between Puducherry and Sriharikota, around Mahabalipuram with a maximum sustained wind speed of 65-75 kmph gusting to 85 kmph around midnight of 09th December

## 2. For the Arabian Sea:

#### No significant system during next 7 days

# Probability of cyclogenesis (formation of depression and above intensity systems) over the BAY OF BENGAL of Bengal and Andaman Sea during next 168 hours

24	24-48	48-72	72-96	96-120	120-144	144-168
HOURS	HOURS	HOURS	HOURS	HOURS	HOURS	HOURS
HIGH	HIGH	LOW				


# Probability of cyclogenesis (formation of depression and above intensity systems) over the Arabian Sea during next 168 hours:


24	24-48	48-72	72-96	96-120	120-144	144-168
HOURS	HOURS	HOURS	HOURS	HOURS	HOURS	HOURS
NIL	NIL	NIL	NIL	NIL	NIL	NIL

#### Advisory:

System is under continuous surveillance

IOP: NIL





110

100

80

60

50

11

1058

103

50

45N 40N 35N 30N

251

201

157

10

EQ

108 107 40E 45E 50E 55E 60E 65E

/B

(Ba

55E

ill.


does not depict political bo

und does not depict political boundary)

65E 70E 75E 80E 85E 90E 95E 100E

IMD :GFS MODEL(12 Km) 200 hPa WIND (kt) FORECAST (00 HR) based on 00 UTC of 08-12-2022 valid for 00 UTC of 08-12-2022


75E





70E 75E


85E 90E 95E 100E

110













es not depict political bos


(B











MultiModel-Mean IFS-TC-Tracker Forecast IC:2022-12-08-00Z (6-Hourly Intervals)

Table 1: Model summery in terms of Landfall timing, location and intensity at the time of crossing coasts based upon 1200 UTC for, MME NEW IMD, MME OLD IMD, ECMWF of 7<sup>th</sup> Dec, HWRF 06/18 UTC and 0000 UTC of 8<sup>th</sup> Dec

Model names	Landfall timing	Landfall point in LAT/LONG degree values	Likely MSD(Winds) in kts	Intensity of the system during landfall
IMD GFS	9th Dec/18-21UTC	12.8/80.2	32	DD
HWRF	10 <sup>th</sup> Dec/00UTC	12.5/80	40	CS
ECMWF	9 <sup>th</sup> Dec/18-21UTC	13.0/80.05	35	CS
NCEP GFS	9 <sup>th</sup> Dec/12-18UTC	12.8/80.9	31	DD
NCUM	9 <sup>th</sup> Dec/21UTC	12.2/79.6	42	CS
MME IMD NEW	9 <sup>th</sup> Dec/15-18UTC	12.0/79.8	30	DD
MME IMD OLD	9 <sup>th</sup> Dec/1800 UTC	12.0/80.0	32	DD
Average	9 <sup>th</sup> Dec around 2100 UTC	12.3/80.0	32	DD/CS